

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
GNE 2930R1C10APPLICATION NO.
10/033,167INFORMATION DISCLOSURE STATEMENT
BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

APPLICANT
Bolstein et al.FILING DATE
December 27, 2001GROUP
1656

RECEIVED

MAY 28 2002

U.S. PATENT DOCUMENTS

TECH CENTER 1600/2900

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE (IF APPROPRIATE) |
|---------------------|-----------------|----------|--------|-------|----------|---------------------------------|
| | 1. 5,536,637 | 07/16/96 | Jacobs | | | |


FOREIGN PATENT DOCUMENTS




| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION |
|---------------------|-----------------|------|---------|-------|----------|-------------|
| | | | | | | YES NO |


| EXAMINER INITIAL | OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.) |
|---------------------|--|
| ✓ | 2. Akimaru et al. (1997) Drosophila CBP is a co-activator of cubitus interruptus in hedgehog signalling. Nature. 386:735-738. |
| | 3. Alcedo et al. (1998) The drosophila smoothened gene encodes a seven-pass membrane protein, a putative receptor for the hedgehog signal. Cell. 88:221-232. |
| | 4. Alexandre et al. (1996) Transcriptional activation of hedgehog target genes in drosophila is mediated directly by the cubitus interruptus protein, a member of the GLI family of zinc finger DNA-binding proteins. Genes & Development. 10:2003-2013. |
| | 5. Apelqvist et al. (1997) Sonic hedgehog directs specialised mesoderm differentiation in the intestine and pancreas. Current Biology. 7:801-804. |
| | 6. Bellusci et al. (1997) Involvement of sonic hedgehog (Shh) in mouse embryonic lung growth and morphogenesis. Development. 124:53-63. |
| | 7. Bilgood et al. (1998) Sertoli cell signaling by desert hedgehog regulates the male germline. Current Biology. 6(3):298-304. |
| | 8. Busson et al. (1988) Genetic analysis of viable and lethal fused mutants of drosophila melanogaster. Roux's Arch. Dev. Biol. 197:221-230. |
| | 9. Chen et al. (1996) Dual roles for patched in sequestering and transducing hedgehog. Cell. 87:553-563. |
| | 10. Chiang et al. (1998) Cyclopia and defective axial patterning in mice lacking sonic hedgehog gene function. Nature. 383:407-413. |
| | 11. Chidambaram et al. (1996) Mutations in the human homologue of the Drosophila patched gene in Caucasian and African-American nevroid basal cell carcinoma syndrome patients. Cancer Research. 56:4598-4601. |
| | 12. Dominguez et al. (1996) Sending and receiving the hedgehog signal: control by the drosophila Gli protein cubitus interruptus. Science. 272:1621-1625. |
| | 13. Echelard et al. (1993) Sonic hedgehog, a member of a family of putative signaling molecules, is implicated in the regulation of CNS polarity. Cell. 75:1417-1430. |
| | 14. Ericson et al. (1995) Sonic hedgehog induces the differentiation of ventral forebrain neurons: a common signal for ventral patterning within the neural tube. Cell. 81:747-758. |
| | 15. Fan and Tessier-Lavigne (1994) Patterning of mammalian somites by surface ectoderm and notochord: evidence for sclerotome induction by a hedgehog homolog. Cell. 79:1175-1186. |
| | 16. Gailani et al. (1996) The role of the human homologue of drosophila patched in sporadic basal cell carcinomas. Nature Genetics. 14:78-81. |
| | 17. Grau and Simpson (1987) The segment polarity gene costal-2 in drosophila. Developmental Biology. 122:186-200. |
| ✓ | 18. Hahn et al. (1996) Mutations of the human homolog of drosophila patched in the nevroid basal cell carcinoma syndrome. Cell. 85:841-851. |
| ✓ | 19. Hooper and Scott (1989) The drosophila patched gene encodes a putative membrane protein required for segmental patterning. Cell. 59:751-765. |

| | |
|----------|-----------------|
| EXAMINER | DATE CONSIDERED |
| | 4/6/02 |

*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

| | | | |
|---|--|-----------------------------------|-------------------------------|
| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. GNE.2930R1C10 | APPLICATION NO. 10/033,167 |
|  INFORMATION DISCLOSURE STATEMENT BY APPLICANT (USE SEVERAL SHEETS IF NECESSARY) | | APPLICANT Botstein et al. | RECEIVED MAY 22 2002 |
| | | FILING DATE December 27, 2001 | |

| EXAMINER INITIAL | OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ET AL.) | |
|---|--|--|
|  | 20. | Hynes et al. (1995) Induction of midbrain dopaminergic neurons by sonic hedgehog. <i>Neuron</i> . 15:35-44. |
| | 21. | Hynes et al. (1997) Control of cell pattern in the neural tube by the zinc finger transcription factor and oncogene Gli-1. <i>Neuron</i> . 19:15-26. |
| | 22. | Ingham (1995) Signalling by hedgehog family proteins in drosophila and vertebrate development. <i>Current Opinion in Genetics and Development</i> . 5:492-498. |
| | 23. | Jiang and Struhl (1998) Regulation of the hedgehog and wingless signalling pathways by the F-box/WD40-repeat protein Slimb. <i>Nature</i> . 391:493-496. |
| | 24. | Johnson et al. (1994) Ectopic expression of sonic hedgehog alters dorsal-ventral patterning of somites. <i>Cell</i> . 78:1165-1173. |
| | 25. | Johnson et al. (1996) Human homolog of patched, a candidate gene for the basal cell nevus syndrome. <i>Science</i> . 272:1668-1671. |
| | 26. | Klein et al. (1996) Selection for genes encoding secreted proteins and receptors. <i>Proc. Natl. Acad. Sci. USA</i> . 93:7108-7113. |
| | 27. | Krauss et al. (1993) A functionally conserved homolog of the drosophila segment polarity gene hh is expressed in tissues with polarizing activity in zebrafish embryos. <i>Cell</i> . 75:1431-1444. |
| | 28. | Krishnan et al. (1997) Mediation of sonic hedgehog-induced expression of COUP-TFI by a protein phosphatase. <i>Science</i> . 278:1947-1950. |
| | 29. | Laufer et al. (1994) Sonic hedgehog and Fgf-4 act through a signaling cascade and feedback loop to integrate growth and patterning of the developing limb bud. <i>Cell</i> . 79:993-1003. |
| | 30. | Lee et al. (1997) Gli1 is a target of sonic hedgehog that induces ventral neural tube development. <i>Development</i> . 124:2537-2552. |
| | 31. | Marigo et al. (1996) Biochemical evidence that patched is the hedgehog receptor. <i>Nature</i> . 384:176-179. |
| | 32. | Martl et al. (1995) Requirement of 19K form of sonic hedgehog for induction of distinct ventral cell types in CNS explants. <i>Nature</i> . 375:322-325. |
| | 33. | Nakano et al. (1989) A protein with several possible membrane-spanning domains encoded by the drosophila segment polarity gene patched. <i>Nature</i> . 341:508-513. |
| | 34. | Nüsslein-Volhard et al. (1984) Mutations affecting the pattern of the larval cuticle in drosophila melanogaster. <i>Roux's Arch. Dev. Biol.</i> 193:267-282. |
| | 35. | Orenic et al. (1990) Cloning and characterization of the segment polarity gene cubitus interruptus dominant of drosophila. <i>Genes & Development</i> . 4:1053-1067. |
| | 36. | Oro et al. (1997) Basal cell carcinomas in mice overexpressing sonic hedgehog. <i>Science</i> . 276:817-821. |
| | 37. | Perrimon (1995) Hedgehog and beyond. <i>Cell</i> . 80:517-520. |
| | 38. | Pham et al. (1995) The suppressor of fused gene encodes a novel PEST protein involved in drosophila segment polarity establishment. <i>Genetics</i> . 140:587-598. |
| | 39. | Préat et al. (1990) A putative serine/threonine protein kinase encoded by the segment-polarity fused gene of drosophila. <i>Nature</i> . 347:87-89. |
| | 40. | Préat (1992) Characterization of suppressor of fused, a complete suppressor of the fused segment polarity gene of drosophila melanogaster. <i>Genetics</i> . 132:725-736. |
| | 41. | Préat et al. (1993) Segmental polarity in drosophila melanogaster: genetic dissection of fused in a suppressor of fused background reveals interaction with costal-2. <i>Genetics</i> . 135:1047-1062. |
| | 42. | Riddle et al. (1993) Sonic hedgehog mediates the polarizing activity of the ZPA. <i>Cell</i> . 75:1401-1416. |
| | 43. | Roberts et al. (1995) Sonic hedgehog is an endodermal signal inducing Bmp-4 and Hox genes during induction and regionalization of the chick hindgut. <i>Development</i> . 121:3163-3174. |
| | 44. | Robbins et al. (1997) Hedgehog elicits signal transduction by means of a large complex containing the kinasin-related protein costal2. <i>Cell</i> . 90:225-234. |
| | 45. | Roelink et al. (1995) Floor plate and motor neuron induction by different concentrations of the amino-terminal cleavage product of sonic hedgehog autoproteolysis. <i>Cell</i> . 81:445-455. |
|  | 46. | Simpson and Grau (1987) The segment polarity gene costal-2 in drosophila. <i>Developmental Biology</i> . 122:201-209. |
|  | 47. | Sisson et al. (1997) Costal2, a novel kinesin-related protein in the hedgehog signaling pathway. <i>Cell</i> . 90:235-245. |

| | | | |
|--|---|-----------------|---------|
| EXAMINER |  | DATE CONSIDERED | 4/27/02 |
| *EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 608; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT. | | | |

| | | | |
|---|--|-----------------------------------|-------------------------------|
| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. GNE.2930R1C10 | APPLICATION NO. 10/033,167 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (USE SEVERAL SHEETS IF NECESSARY) | | APPLICANT Botstein et al. | RECEIVED MAY 22 2002 |
| | | FILING DATE December 27, 2001 | |

| EXAMINER INITIAL | OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.) |
|---------------------|---|
| ✓ | 48. Stone et al. (1996) The tumour-suppressor gene patched encodes a candidate receptor for sonic hedgehog. Nature. 384:129-134. |
| | 49. Thérond et al. (1996) Functional domains of fused, a serine-threonine kinase required for signaling in drosophila. Genetics. 142:1181-1198. |
| | 50. Thérond et al. (1996) Phosphorylation of the fused protein kinase in response to signaling from hedgehog. Proc. Natl. Acad. Sci. USA. 93:4224-4228. |
| | 51. Uden et al. (1998) Mutations in the human homologue of drosophila patched (PTCH) in basal cell carcinomas and the gorlin syndrome: different in vivo mechanisms of PTCH inactivation. Cancer Research. 58:4562-4565. |
| | 52. Van den Heuvel and Ingham (1996) Smoothened encodes a receptor-like serpentine protein required for hedgehog signalling. Nature. 382:547-551. |
| | 53. Wicking et al. (1997) Most germ-line mutations in the nevoid basal cell carcinoma syndrome lead to a premature termination of the PATCHED protein, and no genotype-phenotype correlations are evident. Am. J. Hum. Genet. 60:21-26. |
| | 54. Xie et al. (1999) Activating smoothened mutations in sporadic basal-cell carcinoma. Nature. 391:90-92. |
| ✓ | 55. Database search, Locus list: hum (349, 801 seqs, 66, 964, 548 aa), Mon Jan 7 16:12:49 2002 [BLASTP 2.2.1 [Jul-12-2001], NCBI] 2 pp. |
| ✓ | 56. Database search, Locus list: hum - est (1, 803, 435 seqs, 6, 559, 376, 613 bp), Tue Jan 8 09:15:52 2002 [BLASTN 2.2.1 [Jul-12-2001], NCBI] 8 pp. |

S:\DOCS\JLD\JLD-2239.DOC\051002

| | |
|----------|-----------------|
| EXAMINER | DATE CONSIDERED |
| ✓ | 4/27/02 |

*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.